



TDB-124

New Product Release Document

Marketing Department.
September 13, 2022

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

New Product Release Document

Release Month: Sept'22

Brand: ASCENSO

Tread Pattern : TDB 124

Tyre Construction : Bias

Type : Tubeless

Main Applications: 4WD Tractor

TRA Code : R-1

List of Sizes

Size	PR
24.5-32	12



Salient Features

Specially designed to maximize the load capacity

- Ensure self-cleaning
- Extensive footprint area for uniform load distribution.
- Better lateral stability on field.



Technical Specification

Size	Rec. Rim	Alt. Rim	Unloaded dimension		Loaded Static Radius	Rolling Circumference	PR / Load Index	Inflation pressure	Recommended load, kg (lbs)					
			SW	OD					Speed, km/h (mph)					
									Tractor application					
									bar					
			mm	mm	mm	mm	Speed Symbol	psi	Static	10	20	25	30	
			in	in	in	in				6	12	15	20	
24.5-32	DW21B	DW20B	622 24.5	1803 71.0	815 32.09	5392 212.3	12PR 159 A6	0.8	6490	3950	3380	3020	2820	
								12	14300	8700	7440	6650	6210	
								1.2	8210	5000	4280	3820	3570	
								17	18080	11010	9430	8410	7860	
								1.4	8990	5470	4690	4180	3910	
								20	19800	12050	10330	9210	8610	
								1.7	10060	6130	5250	4680	4375	
25	22160	13500	11560	10310	9640									

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com