



BHB 314

New Product Release Document

Marketing Department.
September 19, 2020

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

New Product Release Document

Release Month: September'20

Brand: ASCENSO

Tread Pattern : BHB 314

Tyre Construction : Bias

Type : Tubeless

Main Applications: Backhoe Loader

TRA Code : R-4

List of Sizes

Size	PR
340/80-18(12.5/80-18)	14
480/80-26(18.4-26)	14



Salient Features

Strong carcass for longer service:

- Designed for stability while loading and unloading.
- Optimum contact area ensures high traction.
- Excellent wear resistance in severe conditions



Technical Specification

Size	Rim	Unloaded dimension		Load	Rolling	Load	Infl.	Recommended load, kg (lbs)					
		Static	Static	Circum	Index	press.		Speed, km/h (mph)					
		SW	OD	Radius			Speed	Mixed application					
		mm	mm	mm	mm	Symbol	bar	10	15	20	25	30	40
		in	in	in	in		psi	6	9	12	16	19	25
340/80-18(12.5/80-18)	11	343	1001	453	2994	14 PR	4.3	3630	3280	3160	3070	3020	2900
		13.5	39.4	17.8	117.9		62	8000	7220	6960	6760	6650	6390
480/80-26(18.4-26)	DW15L	479	1428	647	4271	14PR	2.9	5310	4800	4630	4510	4420	4250
		18.9	55.6	25.2	166.4	158A8	42	11700	10570	10200	9930	9740	9360

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com