



WLB 550

New Product Release Document

Marketing Department.
December 10 , 2020

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

New Product Release Document

Release Month: December'20

Brand: ASCENSO

Tread Pattern : WLB 550

Tyre Construction: Bias

Type: Tube Less

Main Applications: Wheel Loader

TRA Code : L-3

List of Sizes

Size	PR
17.5-25	16
20.5-25	16
20.5-25	20
23.5-25	20



Salient Features

Robust Tread Design:

Generates maximum traction & resistance to slippage

Strong Nylon Casing:

- High load carrying capacity
- Resistance to impacts



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Infl. Pressure	Recommend load, kg (lbs)		
		SW	OD					Speed, km/h(mph)		
		mm	mm				mm	mm	Bar	10
		In	in				in	in	Psi	7
17.5-25	14.00/15	445	1348	612	4032	16 PR	4.75	7300		
		17.5	53.1	24.1	158.7	177 A2	69	16060		
20.5-25	17.00/2.0	520 20.5	1492 58.7	672 26.4	4463 175.7	16 PR	3.5	8250		
						181 A2	51	18150		
		20 PR	4.5	9500						
		186 A2	66	20900						
23.5-25	19.5/1.5	597	1617	723	4837	20 PR	3.75	10900		
		23.5	63.7	28.5	190.4	191 A2	55	23980		

Note: All tyres confirm to ETRTO standards

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com